PW (1921) Department.

MIS SERIES.

G.O. No. 4230

DATED 30.3.21

(1) MIS 5 MIS

(2) PW

(1) Rec MIS (2) Accounts Chamberlain

C.S. 8.4.21

[Despatch Abstract.]

Submitting for the approval of Govt. an estimate of Rs 2000/- for carrying out certain improvements to the Quarters of the Reserve Police Sergeant at Mangalore in the South Kanara District

Home (Judicial) **DEPARTMENT**

Received ..... 191 . *Registered* 191

Subject

Submitting for the approval of Government an estimate amounting to Rs.210/- for carrying out certain improvements to the quarters of the Reserve Police Sergeants at Mangalore in the South Kanara district.

ENCLOSURES.
No. 2 / Estimate and data statement
Spare copies 7

Re No. 1474 / H&B

Station Madras *Dated the* 20th September 1920.

From (Name) P.B. Thomas, Esquire,

(Designation) Inspector-General of Police.

To The Secretary to the Government of Madras,

Home (Judicial) Department.

Sir,

I have the honour to submit for the approval of Government an estimate amounting to Rs.210/- for carrying out certain improvements to the quarters of the Reserve Police Sergeants at Mangalore in the South Kanara district.

2. The nature of the work and the necessity for it are explained in the report accompanying the estimate.

3. A data statement

the buildings is enclc

I have the honour to be,

Sir,

Your most obedient servant

E. P. Vordandorn.

for Inspr.-Genl. of Police.

REFERENCE TO P.W.D. CODE, VOL. I, PARA. 1068.

All data statements for calculating rents of buildings which are submitted for the sanction of Government should be invariably forwarded through the Deputy Accountant-General, P.W. Branch, for check prior to transmission to the Chief Engineer (E.W.'s Memo. No. 5217 C, dated 18th December 1899).

DIVISION_____

Statement giving data for calculating rent of Buildings

Forwarded to the Superintending Engineer, Circle, for approval of entry in column 10 and transmission to the Deputy Accountant-General, P.W. Branch.

(sd) J P Dillon

Executive Engineer, West Coast *Division.*

No dated

Forwarded to the Deputy Accountant-General, P.W. Branch, for check and transmission to the Chief Engineer, P.W.D.

Superintending Engineer, *Circle.*

No. , dated

Transmitted to the Chief Engineer, P.W.D., with certificate of check.

Deputy Accountant-General, P.W. Branch,
Madras.

21 AUG 1920

TRUE COPY FORWARDED

V. Srinivasan
Manager and Asst
19

IV Cl

tem No.	Name of building.	Official designation and salary of occupant.	Permanent or temporary.	Date of construction or purchase.	Capital cost.			3½ per cent on capital cost for interest.
					Cost of construction or purchase.	Cost of site.	Total.	
1	2	3	4	5	6	7	8	9
					Rs.	Rs.	Rs.	Rs
1)	Police Reserve Sergeants quarters Meangalore Block No. I	Mr. J. Andrews Reserve Police Sergeant	P	1907	3628 79 3707 3698		3698 3707	130
2)	Sergeants quarters at Meangalore Block no. II	E. A. Leat Reserve Police Sergeant	P	1908	2992 78 3070		3062 3070	107
3)	Sergeants quarters Block no. IV Meangalore	H. Wolmbry Reserve Police Sergeant	P	1908	2992 78 3070		3062 3070	107

Represents proportionate
outlay as per the est
Rs 235 under
for sanction for
ments to the
said blocks.

Buildings in the West Coast Division.

Cost of maintenance and repairs.			Normal rate of rent on basis of foregoing calculation.		Rent hitherto charged.	Remarks.
Ordinary repairs.	Special repairs at per cent.	Total.	Annual, columns 9+12.	Monthly, ½ of column 13.		
9	11	12	13	14	15	16
Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	
56	18	74	~~204~~	17		Rent to be fixed vide G.O. no 1260 Judl dated 26.7.06. & no 43 Judicial dated 7-1-07
46	15	61	168	14		
46	15	61	168	14		Rent to be fixed Rs 17 for item (1) & Rs 14 for items (2) & (3) fixed in G.O. no 764 12-1-1[illegible]

Copy of letter Current No.386/G1 of 10-4-20 from the District Superintendent of Police, South Kanara to the Executive Engineer, West Coast Division.

Adverting to your endorsement 566 dated the 26th October 1918 on the South Kanara Sub-Divisional Officers reference No.937 E, dated 9th October 1918 regarding the provision of matting to the Sergeants' quarters at Mangalore, I have the honour to state that the tiles of the floor of the Sergeants' quarters are old and consequently the red dust comming off from them spoils the whole building as well as the dress of the children who sit and play on the floor. Further these tiles being old and worn out may absorb moisture during the monsoon and the quarters will be rendered unhealthy during the heavy rainy season.

I therefore consider that matting is imparatively necessary for these quarters and request that arrangements may kindly be made to provide them with matting at a very early date.

I may also invite your attention in this connection to G.O.No.1076 Y dated 18th August 1919 which provides for a matting of ~~xxxxxx~~ a plain inexpensive nature to Government residential buildings.



OMK
26/6/20

WEST COAST DIVISION.
Accompaniment to Executive Engineer's
No. 2/1031/RE dated 28.6.1990
PUBLIC WORKS DEPARTMENT.

Home (Judicial) DEPARTMENT.

Received ..... 191 . *Registered* 191

Subject

Submitting for the approval of Government an estimate amounting to Rs.210/- for carrying out certain improvements to the quarters of the Reserve Police Sergeants at Mangalore in the South Kanara district.

ENCLOSURES.
No. 1. 1 Col'd data statement.
Spare copies 1.

Re No. 474 4/13

Station Madras *Dated the* 20th September 1920.

From (Name) P.R. Thomas, Esquire.

(Designation) Inspector-General of Police.

To The Secretary to the Government of Madras,

Home (Judicial) Department.

Sir,

I have the honour to submit for the approval of Government an estimate amounting to Rs.210/- for carrying out certain improvements to the quarters of the Reserve Police Sergeants at Mangalore in the South Kanara district

2. The nature of the work and the necessity for are explained in the report accompanying the estimate.

3. A data statement for calculating the rent of

the buildings is enclosed.

I have the honour to be,

Sir,

Your most obedient servant,

E. Rowlandson.

for Inspr.-Genl. of Police.

Temple

21 AUG 1920

Report to accompany the estimate for improvements to the Police sergeant's quarters at Mangalore.

Amount of Estimate, Rs. 2104/-

The estimate is prepared in accordance with the requisition of the District Superintendent of Police received with the Executive Engineer's No.313 S.K dated 28-4-20 and provides for the following.

(1) Bamboo matting for floor in all the 3 blocks.

(2) Expanded metal for all windows of all the 3 blocks. Necessary provision is made for painting the expanded metal with green paint 2 coats.

J P Allen
27.6.20

Executive Engineer
West Coast Division

OK
26/6/20

Home (Judl) Dept

et No 2900A.

Memo No [illegible]

With reference to his letter
RC No 1474 H&P & 20-9-20, regardi
certain improvements to the
quarters of the Reserve Police
Sergeants at Mangalore in the
South Kanara District, the IG
of Police is requested to ascertain &
report whether the existing buildin
have bars to the windows ~~and explain clearly the reasons
necessity for providing expand
metal~~

WB
15.10.20

Ok
2-10-20.

BOR
4.10.20.

To remind one month after issu

Ok
2-10-20

BOR
[illegible]

12

C.F. 29—9,886—22-1-18

Home (Judicial) **DEPARTMENT** Jud 3280 A

Rpp 26.10.20

Received 25 OCT 1920 *Registered* 191

Subject

Reporting that the windows in the existing quarters of the Reserve Police Sergeants at Mangalore have no iron bars.

ENCLOSURES.
No. nil
Spare copies nil

RC No. 1474-1/43

Station Madras *Dated the* 23rd October 1920

From (Name) P.B. Thomas, Esquire,

(Designation) Inspector-General of Police.

To The Secretary to the Government of Madras,

Home (Judicial) Department.

Sir,

In reply to Government Memorandum No. 2900 A-1, dated 6th October 1920, I have the honour to report that the windows in the existing quarters of the Reserve Police Sergeants at Mangalore have no iron bars.

I have the honour to be,
Sir,
Your most obedient servant,

for Inspr.-Genl. of Police.

R.K 24/11

Home (Judl) Dept

et 3865 A.

memo No 3865 A/20 16/12/20

With reference to the correspondence ending with his letter, RC No 1474-1 H&B, 8-2-20 requesting certain improvements to the quarters of the Reserve Police Inspectors at Mangalore, ~~in the South Kanara district~~, the Addl Supdt of Police is requested to explain ~~fully~~ the necessity for fixing expanded metal to the windows, as proposed. The ~~His~~ quarters have existed for 12 / 14 12 20. 13 years without it

Rai 16.12.20

Addl Supdt of Police

(Inspector-General)

Rus 16.12.20

Lal 16.12.20

Please remind one month after issue 4.1.21.

O.F. 29—9,886—22-1-1

Home (Judicial) **DEPARTMENT**

20 JAN 1921

Received ..... 191 *Registered* 191

Subject

Submitting reply to Home (Judicial) Department Memorandum No. 3864 A-1, dated 16th December 1920, regarding the provision of expanded metal or iron bars for the windows of the quarters of the Reserve Police Sergeants at Mangalore.

ENCLOSURES.
No.
Spare copies

No. 102/1168.

Station Madras *Dated the* 19th January 1921.

From (Name) P.B. Thomas, Esquire,

(Designation) Inspector-General of Police.

To The Secretary to the Government of Madras,

Home (Judicial) Department.

Sir,

With reference to Home (Judicial) Department Memorandum No. 3864 A-1, dated 16th December 1920, I have the honour to report that the provision of expanded metal or iron bars for the windows of the quarters of the Reserve Police Sergeants at Mangalore is necessary for the safety and comfort of the occupants, as the windows have no iron bars. Successive occupants of the buildings have found it inconvenient to leave the windows open at nights during hot weather, there being nothing to prevent thieves or other unauthorised persons finding their way through them.

2. The provision of expanded metal for windows is allowe in the type design and I therefore request that the estimate ma be sanctioned at an early date.

I have the honour to be,

Sir,

Your most obedient servant,

for Inspr.-Genl. of Police.

R.K.

7

P.W.D

D.S

Please See ← the Finance Dept notes on the previous page
They have now approved of the provision of expanded metal to windows.
The draft order ~~already~~ already approved may therefore be issued now.

VHS
23/3/21

23/3/21

Improvements to the quarters of the Reserve Police Sergeants at Mangalore

2900 A. p1-20 From the D.C.of Police Rc No 14-14 H.B. dt 28.9.20.

US

Please see the DSP's letter on page 4; matting to the quarters appears to be necessary and may be approved. As regards the provision of metal frames to all the windows, though the improvement has been allowed in the type design the necessity for it in the present case has not been explained. It is for consideration whether the estimate for this portion of the work may be disallowed.

1067 W&B 12-1-11 not pr

The case may be transferred to B.W.D. for issue of orders.

B/L 22.9.20.

Can it be ascertained whether the existing buildings have bars to the windows

C. 29.9.20

Illegible 30/9/20.

US

Draft memo to the D.C. is submitted.

B/L 1.10.20.

(Illegible)

POR 4.10.20

Page 3 of the Secy's letter No 2900 A-1 & 6 Co. 20.
Prep. from the Secy's office Nos. [illegible]

To

The Secy reports that the existing
Jetties have no bearing to the work
Estimate may be approved and the
file passed on to P. Co. D

Secy
2/11/20

PWD
3/11/20

Jud 3280 A-1
1.11.20
PSR
1.11.20.





3773 whs 3/20-1
17-11-20

PWD
20

Financial

Jud No 576913

Financial dept

It will be seen from
page 3 c/f that the capital costs of
the three quarters are already in

further expenditure on these buildings should, therefore, be allowed unless they are absolutely necessary. The improvements proposed in this case are:

Rs

(i) Provision of bamboo matting

(ii) fixing expanded metal to windows & painting them. ~~175~~ ~~150~~ 159

P. 9 C.f. 1

P 10 C.f.

Item (i) - This seems necessary - vide letter from the Dist. Supdt. of Police on page 4 C.f. The cost involved is small. May perhaps be allowed

Item (ii) - The necessity for this is not anywhere explained. Evidently the work is proposed to improve the safety of the quarters. But it should first be clearly established that the quarters, as they are, are unsafe As the quarters have been in existence for the last 12 or 13 years without the proposed improvement, the presumption is that the quarters are safe. The proposal may be negatived.

C.f. data ... 3 C.f.

No 415 Jacket B

2-0

Quial No 5769B-1

30.11.20

25.11.20

27/11/20

C.f. 29/11/20

PWD

SECRETARY TO GOVT. PUBLIC WORKS DEPARTMENT 9 DEC 1920

Collected

Please See the Finance Dept notes ~~root~~ on the previous page. They have requested the Proposal to fix expanded metal to windows & painting them shall applies of the provision of bamboo matting only. Before putting up a revised draft order in accordance with the above decision the file may be sent to the Home (Jud) Dept for acceptance of the revised proposals or remarks if any

4.12.20 7/12/20

8/12/20

PWD no

3773 Judl B/20-2

8-12-1920

C. No. 3865 A

9.12.20

pgk

Home (Judl)





Home (Judl) Dept

Submitted for orders.

Ok 10-12-20.

A.k I.G. regarding the necessity for fixing expanded metal to the windows.

Rees 4.12.20.

Jud 13/12/20.

Draft submitted.

14-12-20.

2nd 16/12/20

15-12-20

Memo to the I.G. of Police No 3865 A-1 & 16-12-20

p15 c F From the I.G. of Police Re No 102 H&B & 19-1-21

at 224 A. p14-15 c F

From the I.G.'s letter on pages 14-15 c.F, it appears that the provision of expanded metal to the windows is necessary. Submitted that Govt may be requested to reconsider their decision at page 3 ante.

Memo No 224 A-1
26-1-21

24-1-21.

25-1-21

24/1/21

Finance Dept.

Please see the Finance Dept notes on pages 2-3 ante and the Insp. General's letter on pages 14 and 15 c.F. The reasons urged for the provision of expanded metal are:-

(1) that this is allowed in the type design,

(2) that the occupants are put to/

to inconvenience at nights during hot weather.

As regards (i), it may be pointed out that the costs of the quarters are already in excess of the permissible limit. With reference to (2) it is observed that the quarters have been in existence for the last 12 or 13 years and apparently safe, in the absence of any report to the contrary. On the whole there appears to be no case for a reconsideration.

Sd.
27.1.21.

As the safety of the roof is stated to be involved, the case may accept.

✓ 5/3/21

RKA
11/3/21

Home

FR

Home (Judl)

WS

The case may now be passed to B.W.D. for issue of orders.

RKA
14-3-21

GR
15 3 21

C.O.

14321

B.W.D. N.O

13 MAR 1921

File 210. 11 B-1
11/3/21.

Dept. A
4th SECTION
17 MAR 1921
CURRENT NUMBER
872

Add no No 1011 A-1
16-3-21

Instrs to Servants quarters – approve

READ AGAIN G.O. No. ....., dated 192

" " " " " " 192

READ ALSO:–

C. No. 3773/49/A2 From the Engr Circle No. 474/H&B, dated 20th Sept 1921

" " " Memo No 29009-1 dt 6.10. 1921

" " " Engr Circle No 1474-1/H&B 28th Oct 1920

ORDER. No 42820 dated 30-3- 1921

Mrs

The proposed expenditure of Rs 210 on Carriage on Certain instrs to the quarters of the Reserve Police Sergeant at Nanjangud in the Sanction of Mysore Dt 1st March 2. The estimate is forwarded to the SE III circle Technical Sanction 3 A statement of data Calculating the rent of quarters should be submitted after the instrs are carried